



STOCKMOD

Safety Requirements

(As of 1/1/2024)

Index

Uniforms	2
Arm Restraints	2
Helmets	2
Head and Neck Restraints	2
Headrests	2
Seats	2
Seat Belts	2
Roll Cage Padding	3
Steering Wheel Padding	3
RACEceiver Radios are mandatory	3
Fire Equipment	3
Transponders	3
Ending Statement	3

1. Uniforms

- a. All Drivers must wear an SFI approved uniform; recommend two (2) layer or greater. Complete with fire retardant shoes and gloves.
- b. Recommended head sock and/or skirt, socks, and underwear.

2. Helmets

- a. All drivers must wear a full-face helmet.
- b. A helmet certified to Snell SA2015/FIA-8859-2015, Snell SA2020/FIA-8860-2018, SFI 31.1/2015 or SFI 31.1/2020 is required to be always worn during competition or on the racing surface.

3. Head and Neck Restraints

- a. Head and Neck Restraints are highly recommended.
- b. At all times during an event, drivers must connect their helmet to a head and neck restraint device system certified to SFI Spec 38.1.
- c. The head and neck restraint system, when connected, must conform to the manufacturer's mounting instructions, and must be configured, maintained, and used in accordance with the manufacturer's instructions.

4. Seats

- a. Approved full containment seats are Highly Recommended.
- b. Approved aluminum and composite seats may be used, no fiberglass.
- c. Seats must be mounted with a minimum of four (4) bolts 3/8 diameter. Grade 8 bolts.
- d. Seats must be installed in accordance with manufacturer's instructions.

5. Seat Belts

- a. Seat belts must be five points and properly attached and/or supported.
- b. Seat belts must meet SFI 16.5 or SFI 16.1, be within manufacturer's expiration label (must have label). Seat belts must be installed and used in accordance with manufacturer's instructions.
 - i. No Y seatbelt mounts will be allowed.
 - ii. No low back seats allowed.
 - iii. No more than two (2) years old.

6. Roll Cage Padding

- a. All chassis protrusions, roll cage tubes and roll bars near the driver's helmet is highly recommended to be padded with a securely attached high impact material conforming to SFI Specification 45.1. This includes any vertical anti-intrusion supports alongside the driver.

7. RACEceiver Radios are mandatory.

- a. A POWRi Official/Race Director/Division Official reserves the right to penalize and fine drivers that do not run a RACEceiver.
- b. No radio communication to driver except from club or track officials. No rear-view mirrors.

8. Fire Equipment

- a. The Entrant or Crew Chief of each car should have in his pit a fully charged five-pound powder fire extinguisher, or its equivalent. A gauge or current inspection should be attached to each fire extinguisher.
- b. Fire Suppression system is HIGHLY recommended.

9. Window Nets

a. Must have full window nets. Net must be securely mounted to the roll cage.

10. All race cars and driver's equipment are subject to safety inspections. Tech director reserves the right to refuse a car or driver from competition, if deemed unsafe.